



भारत का राजपत्र The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (II)

PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 600]

नई दिल्ली, बुधवार, अगस्त 22, 2001/श्रावण 31, 1923

No. 600]

NEW DELHI, WEDNESDAY, AUGUST 22, 2001/SRAVANA 31, 1923

सड़क परिवहन एवं राजमार्ग मंत्रालय

अधिसूचना

नई दिल्ली, 22 अगस्त, 2001

का.आ. 814(अ).—केन्द्रीय सरकार की यह राय है कि लोकहित में यह आवश्यक और समीचीन है कि मोटरयान के लिए नई अति सुरक्षा रजिस्ट्रीकरण प्लेटों की और केन्द्रीय मोटरयान (पहला संशोधन) नियम, 2001 द्वारा केन्द्रीय मोटरयान नियम, 1989 में किए गए संशोधनों के प्रति निर्देश से ऐसी प्लेटों के विनिर्माण या प्रदाय के लिए किसी विनिर्माता या विक्रेता द्वारा प्रयोग की जाने वाली प्रक्रिया की नयी प्रणाली के संबंध में कतिपय मानदंड अधिसूचित किए जाएं, अतः वह केन्द्रीय मोटरयान अधिनियम, 1988 (1988 का 59) की धारा 109 की उपधारा (3) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, ऐसे मानदंडों को विनिर्दिष्ट करने के लिए निम्नलिखित आदेश करती है, अर्थात् :—

आदेश

1. इस आदेश का संक्षिप्त नाम मोटरयान (अति सुरक्षा रजिस्ट्रीकरण प्लेट) आदेश, 2001 है;
2. यह 28 सितंबर, 2001 तक नए रजिस्ट्रीकृत यानों के मामले में उसी तारीख से और पहले से रजिस्ट्रीकृत यानों के मामले में राजपत्र में इस आदेश के प्रकाशित होने की तारीख से 2 वर्ष के पश्चात् से प्रवृत्त होगा।
3. लागू होना.—यह आदेश मोटर यान अधिनियम, 1988 (1988 का 59) की धारा 2 के खंड (28) में यथा परिभाषित मोटरयानों को लागू होगा।
4. नई अतिसुरक्षा रजिस्ट्रीकरण प्लेटों के विनिर्माता या प्रदायकर्ता निम्नलिखित विनिर्देशों का अनुपालन करेगा, अर्थात् :—
 - (i) विनिर्माता या प्रदायकर्ता, केन्द्रीय सड़क अनुसंधान संस्थान, नई दिल्ली से या केन्द्रीय मोटर यान नियम, 1989 के नियम 126 के अधीन केन्द्रीय सरकार द्वारा प्राधिकृत किसी परीक्षण अभिकरण से एक प्रमाणपत्र प्राप्त करेगा;
 - (ii) रजिस्ट्रीकरण प्लेट केन्द्रीय मोटर यान नियम, 1989 के नियम 50 में उपवर्णित विनिर्देशों के अनुरूप होगी और वह समय समय पर अद्यतन किए गए डी आई एन 1745/डी आई एन 1783 या आई एस ओ 7591 के भी अनुरूप होगी। रजिस्ट्रीकरण प्लेट की कम से कम न्यूनतम पांच वर्ष के लिए अविनश्वर प्रकृति के लिए प्रत्याभूति दी जानी है।
 - (iii) अतिसुरक्षा रजिस्ट्रीकरण प्लेटों में अक्षरों की पृष्ठभूमि का रंग वही होगा जो भारत सरकार में सड़क परिवहन और राजमार्ग मंत्रालय की अधिसूचना संख्या सा. का. नि. 221(अ) तारीख 28-3-2001 में विहित रंग स्कीम के अनुसार हो अर्थात् परिवहन यानों की दशा में पीली पृष्ठ भूमि पर काला रंग और अन्य मामलों में सफेद पृष्ठभूमि पर काला रंग/रजिस्ट्रीकरण चिह्न के अक्षर अंग्रेजी में होंगे और अंक अरबी संख्याओं में होंगे, और अक्षर तथा अंक उत्कीर्णित होंगे, ताप स्टांपित नहीं।
 - (iv) कूट रचना से संरक्षण के लिए 20 मिलीमीटर × 20 मिलीमीटर आकार का एक क्रोनियम आधारित होलोग्राम प्लेट के शीर्षस्थ बाईं ओर के कोने पर सामने और पीछे दोनों प्लेटों पर ताप स्टांपन द्वारा लगाया जाना है होलोग्राम में दोनों ओर भारत सरकार और "गवर्नमेंट आफ इंडिया" सहित अशोक संप्रतीक होगा जो अशोक संप्रतीक में ऊर्ध्वाधर रूप में क्रमशः बाईं ओर, तथा दायीं ओर होंगे जैसा कि इस आदेश से संलग्न उपाबंध में दिए गए रेखाचित्र में विनिर्दिष्ट है।


- (v) कम से कम 5 अंकों की स्थायी पहचान संख्या, रजिस्ट्रीकरण प्लेट के तल के बाईं ओर परावर्ती शीट में लेजर ब्रैंड की जानी है जिसमें अंक का आकार 2.5 मिलीमीटर का होगा।
- (vi) विज्ञापित संख्या के अक्षरों/अंकों पर लगाई जाने वाली ताप स्टापन फिल्म में "इंडिया" उत्कीर्णित होगा।
- (vii) स्व-विध्वंसकारी के प्रकार के क्रोमियम आधारित होलोग्राम स्टिकर के रूप में तीसरी रजिस्ट्रीकरण प्लेट 100 एम एम × 60 एम एम के आकार की होगी, जिसे यान के विण्डशील्ड के बायीं ओर के भीतरी भाग पर लगाई जानी है। स्टिकर पर (i) रजिस्ट्रीकरण प्राधिकारी का नाम (ii) यान का रजिस्ट्रीकरण संख्यांक (iii) लेजर ब्रांड किया गया स्थायी पहचान संख्यांक (iv) इंजन संख्यांक और (v) यान का चैसिस संख्यांक के ब्यौरे होंगे। स्टिकर के दाएं कोनों के तल पर, क्रोमियम आधारित होलोग्राम लगाया जाएगा किन्तु यह 10 मि. मी. × 10 एम एम के लघु आकार का होगा उक्त स्टिकर में यान का रजिस्ट्रीकरण संख्यांक केन्द्र में होगा और अक्षरों की ऊंचाई 10 मि. मी. होगी। रजिस्ट्रीकरण प्राधिकारी का नाम 5 मि. मी. के आकार के अक्षरों में शीर्ष भाग पर होगा। जबकि लेजर ब्रांड वाला स्थायी पहचान संख्यांक, इंजन सं. और चैसिस संख्यांक स्टिकर के तल में बाईं ओर आएंगे। प्रत्येक मामले में अंकों का आकार 2.5 मिलीमीटर का होगा। स्टिकर का चित्र इस आदेश से संलग्न उपाबंध में विनिर्दिष्ट रेखाचित्र में दिया गया है।
- (viii) यान के पीछे फिट की गई रजिस्ट्रीकरण प्लेट न हटाने जाने योग्य पुनः प्रयोग न किए जाने योग्य स्नैप लाक सिस्टम से जोड़ी जाएगी। बेहतर सुरक्षा के लिए कम से कम दो ऐसे स्नैप लॉक फिट किए जाएंगे।
- (ix) कोई भी अतिसुरक्षा प्लेट रजिस्ट्रीकरण प्राधिकारी के परिसर से बाहर नहीं चिपकाई जाएगी।
- (x) राज्य परिवहन विभाग द्वारा ऐसे रजिस्ट्रीकरण प्लेटों के प्रदाय के लिए चयन किया गया विनिर्माता या विक्रेता संपूर्ण राज्य के लिए या राज्य के किसी प्रदेश के लिए हो सकेगा।
- (xi) मोटरयान स्वामियों को रजिस्ट्रीकरण प्लेट का प्रदाय विक्रेता द्वारा सड़क परिवहन अधिकारी या राज्य परिवहन विभाग द्वारा उस प्रयोजन के लिए अभिहित किसी अधिकारी के प्राधिकार पर किया जाएगा।
- (xii) किसी विद्यमान रजिस्ट्रीकरण प्लेट के लिए प्रतिभूति संबद्ध परिवहन प्राधिकारी द्वारा यह सुनिश्चित करने के पश्चात् ही की जा सकेगी कि पुरानी प्लेट अभ्यर्धित और नष्ट कर दी गई है।
- (xiii) राज्य सरकार द्वारा प्राधिकृत विनिर्माता या विक्रेता द्वारा जारी की गई रजिस्ट्रीकरण प्लेटों का समुचित अभिलेख दैनिक आधार पर रखा जाना चाहिए और उसका आवधिक रूप से परिवहन कार्यालय के अभिलेखों के साथ मिलान करवाना चाहिए।
- (xiv) अतिसुरक्षा रजिस्ट्रीकरण प्लेट की अपेक्षाओं का अनुपालन सुनिश्चित करने के लिए आवधिक लेखा परीक्षा संबंधित परीक्षण अभिकरण द्वारा की जाएगी।

[फा. सं. आर टी-11028/3/2000 एम वी एल]

आलोक रावत, संयुक्त सचिव





34/10/04

HOLOGRAM
(FRONT REAR
REGISTRATION
PLATE)



STICKER
(THIRD REGISTRATION
PLATE)

H = HOLOGRAM
(10 x 10 mm)



MINISTRY OF ROAD TRANSPORT AND HIGHWAYS**NOTIFICATION**

New Delhi, the 22nd August, 2001

S.O. 814(E).— Whereas the Central Government is of the opinion that it is necessary and expedient in the public interest to notify certain standards in respect of the new system of high security registration plates for motor vehicles and the process used by a manufacturer or vendor for manufacturing or supplying such plates with reference to the amendments made in the Central Motor Vehicles Rules, 1989 by the Central Motor Vehicles (1st Amendment) Rules, 2001, it, therefore, in exercise of the powers conferred by the sub-section (3) of section 109 of the Motor Vehicles Act, 1988 (59 of 1988) makes the following order to specify such standards, namely:-

ORDER

1. This Order may be called as the Motor Vehicles (New High Security Registration Plates) Order, 2001.
2. It shall come into force on the 28 day of September, 2001 in case of new registered vehicles from that date and in case of already registered vehicles, two years from the date of publication of this Order in the Official Gazette.
3. Application — This Order shall apply to motor vehicles as defined in clause (28) of section 2 of the Motor Vehicles Act, 1988 (59 of 1988).
4. A manufacturer or supplier of new high security registration plates shall comply with the following specifications, namely:-
 - (i) The manufacturer or supplier shall have a certificate from the Central Road Research Institute, New Delhi or any one of the testing agencies authorised by the Central Government under rule 126 of the Central Motor Vehicles Rules, 1989.

- (ii) The registration plate shall conform to the specifications spelt out in rule 50 of the Central Motor Vehicles Rules, 1989; and shall conform to DIN 1745 / DIN 1783 or ISO 7591, as updated from time to time. The Registration Plate has to be guaranteed for imperishable nature for a minimum of five years.
- (iii) The background colour of the letters in the High Security Registration Plates shall be the same as per the colour scheme prescribed in the Notification of the Government of India in the Ministry of Road Transport & Highways No.G.S.R.221(E) dated 28.3.2001 namely in black colour on yellow background in case of transport vehicles and in black colour on white background in other cases. The letters of registration mark shall be in English and the figures shall be in Arabic numerals, and the letters and numerals shall be embossed and hot stamped.
- (iv) To protect against counterfeiting, a chromium-based hologram of the size of 20 mm X 20 mm is to be applied by hot stamping on the top left-hand corner of the plate in both front and rear plates. The hologram shall contain Ashoka emblem with "Bharat Sarkar" and "Government of India" on each side, on left and right side respectively on Ashoka emblem vertically, as specified in the sketch, as given in the Annexure annexed to this Order.
- (v) The permanent identification number of minimum 7 digits is to be laser branded into the reflective sheeting on the bottom left-hand side of the registration plate with the numeral size being 2.5 mm.
- (vi) The hot stamping film to be applied on the letters/numerals of the license number shall bear the inscription "INDIA".
- (vii) The third registration plate in the form of a self destructive type chromium based hologram sticker shall be of the size of 100 mm X 60 mm is to be affixed on the inner side of left hand corner of windshield of the vehicle. The details on the sticker shall be (i) name of registering authority, (ii)

registration number of the vehicle, (iii) laser branded permanent identification number, (iv) engine number and (v) chassis number of the vehicle. On the bottom of the right corner of the sticker, the chromium based hologram shall be applied but of a smaller size of 10 mm X 10 mm. In the said sticker the registration number of the vehicle shall be in the centre with a letter size of 10 mm in height. The name of registering authority would be on top part of sticker in letter size of 5 mm, while, laser branded permanent identification number, then engine number followed by chassis number shall come in the bottom left side of the sticker with numeral size being 2.5 mm in each case. A depiction of the sticker is given in the sketch as specified in the Annexure annexed to this Order.

- (viii) The registration plate fitted in the rear of the vehicle shall be fastened with non-removable/non-reusable snap lock system. For that sake of better security, at least two such snap locks shall be fitted.
- (ix) No high security plate shall be affixed outside the premises of the registering authority.
- (x) The manufacturer or the vendor selected by the State Transport Department for supply of such registration plates may be for the State as a whole or for any region of the State.
- (xi) The registration plate will be supplied to the motor vehicle owners by the vendor against the authorization by the Road Transport Officer or any officer designated for the purpose by the State Transport Department.
- (xii) The replacement for any existing registration plate may be made by the concerned transport authority only after ensuring that the old plate has been surrendered and destroyed.
- (xiii) A proper record of the registration plates issued by the manufacturer or the vendor, authorized by the State Government, should be maintained on a daily basis and got tallied periodically with the records of the Transport Office.

261641/2001-2

- [F.No.RT-11028/3/2000-MVL]
ALOK RAWAT, Jt. Secy.

HOLOGRAM
(FRONT & REAR
REGISTRATION
PLATE)

20mm

20mm

TRANSPORT DEPARTMENT
NATIONAL CAPITAL TERRITORY OF DELHI
DL 5C A 0068
LASER BRANDED IDENTIFICATION NUMBER
ENGINE NUMBER
CHASIS NUMBER

5mm
5mm
5mm
5mm
10mm
10mm
10mm
5mm
60mm

5mm
2.5mm
5mm
2.5mm
2.5mm

10mm
5mm
100mm